

INDEX MAPS.

T. 19N, R. 2E. 2nd Mer.


	480		479		479		479		478		478	
481	6	503	5	498	4	494	3	489	2	486	1	478
	504		502		498		493		490		485	
481	7	502	8	497	9	493	10	489	11	485	12	477
	504		501		497		493		489		484	
481	18	501	17	496	16	492	15	488	14	484	13	477
	504		500		496		492		488		484	
480	19	500	20	496	21	492	22	488	23	483	24	477
	503		500		495		491		487		483	
480	30	499	29	495	28	491	27	487	26	483	25	477
	503		499		495		490		486		482	
480	31	498	32	494	33	490	34	486	35	482	36	476
	476		476		475		475		475		475	

T.

R.

Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

Township Lines.

Ch. Lk. South Boundary. Var. 6° 15' E.

West on the S. Boundary of Sec. 36

40.00 ^{set g. sec. post from which} a ~~P.~~ Oak 40 in. dia. bears S 5 E 12 Ws. dist. 8
an Ash 10 " " " N 5 W 5 " "

80.00 set post cor. of sec. 35 & 36 from which

a Sugar 12 in. dia. bears S 16 E 22 Ws. dist. 8
an Elm 12 " " " N 18 W 22 " "

Rich land. Timber Beech, Sugar, Ash, Wgs. Spruce

West on the S. Boundary of Sec. 35

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 63 E 5 Ws. dist. 8
a Do 8 " " " S 61 E 15 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 10 in. dia. bears S 78 E 6 Ws. dist. 8
a Hickory 12 " " " N 84 W 10 " "

Land &c same as last described.

West on the S. Boundary of Sec. 34

23.00 a creek 50 Ws. wide crosses NW

36.50 a Branch 10 " " " S E

40.00 set g. sec. post from which

an Elm 24 in. dia. bears N 80 E 15 Ws. dist. 8

a Hickory 12 " " " S 16 W 18 " "

59.50 a Branch 8 Ws. wide crosses NW

80.00 set post cor. of sec. 33 & 34 from which

a Beech 10 in. dia. bears S 48 E 23 Ws. dist. 8

a Hickory 24 " " " S 67 W 12 " "

Land &c same as last described.

West on the S. Boundary of Sec. 33

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears N 74 E 12 Ws. dist. 8

a Spruce 12 " " " N 18 W 3 " "

T. 19 N., R. 2 E., T. 2 Mer. Ind.^a

Elev. 800.

80.00 set part cor. of sec. 32 & 33 from which
 a Beech 24 in. dia. bears S 67° E 10 lks. dist. &
 a Hickory 24 " " " N 71° W 23 " "
 Land &c. same as last described.

West on the S. Boundary of Sec. 32

40.00 set q. sec. part from which
 an Elm 36 in. dia. bears N 71° W 16 lks. dist. &
 a Sugar 12 " " " N 8° E 18 " "

54.50 a creek 25 lks. wide course NW

77.50 a Branch 15 " " " NE

80.00 set part cor. of sec. 31 & 32 from which
 a Beech 12 in. dia. bears S 34° E 36 lks. dist. &
 a Sugar 12 " " " N 14° W 10 " "
 Land &c. same as last described.

West on the S. Boundary of Sec. 31

40.00 set q. sec. part from which
 an Elm 30 in. dia. bears N 73° E 60 lks. dist. &
 a W. Oak 24 " " " S 73° W 18 " "

83.14 Intersect W. Boundary 254 lks. S. of temp. part-
 set part at intersection cor. of T. 18 & 19 N., R. 1 &
 2 E. from which
 a Beech 12 in. dia. bears S 47° W 9 lks. dist. &
 a Do - " " " N 18° E 29 " "
 Land &c. as last described.

East Boundary. Var. 5° 50' E.

North on the E. Boundary of Sec. 36

15.25 a Sugar 12 in. dia.

40.00 set q. sec. part from which
 a Sugar 24 in. dia. bears S 15° E 18 lks. dist. &
 a Do 24 " " " N 27° W 19 " "

68.15 a Beech 24 " "

80.00 set part cor. of sec. 25 & 36 from which
 a Hickory 10 in. dia. bears N 75° W 18 lks. dist. &

T. 19 N., R. 2 E. 2. Mer. Ind.

Ch. 210.

a Do 8 in. dia. bears S 75 E 12 lbs. dint.
Rich land. Timber Beech, Sugar, Ash, Poplar
v. Upr. Spice

North on the E. Boundary of Sec. 25

40.00 set of sec. part from which
an Ash 12 in. dia. bears S 3 E 19 lbs. dint. 2
a Do 12 " " " N 40 W 26 " "
69.50 a Beech 12 " "
80.00 set part cor. of sec. 24 & 25 from which
an Elm 24 in. dia. bears S 13 W 20 lbs. dint. 2
a Beech 12 " " " N 48 W 14 " "
Land v. same as last described.

North on the E. Boundary of Sec. 24

32.20 a Sugar 24 in. dia.
40.00 set of sec. part from which
an Ash 24 in. dia. bears N 47 W 24 lbs. dint. 2
a Hickory 8 " " " N 58 E 9 " "
52.70 a R. Oak 24 " "
80.00 set part cor. of sec. 13 & 24 from which
a Beech 24 in. dia. bears N 43 E 18 lbs. dint. 2
a Gum 12 " " " N 77 W 3 " "
Land v. same as last described.

North on the E. Boundary of Sec. 13

40.00 set of sec. part from which
a W. Oak 30 in. dia. bears S 27 W 28 lbs. dint. 2
a Beech 12 " " " N 44 E 26 " "
72.65 a R. Oak 24 " "
80.00 set part cor. of sec. 12 & 13 from which
a Sugar 12 in. dia. bears N 41 W 18 lbs. dint. 2
a Beech 10 " " " N 1 E 19 " "
Land v. same as last described.

North on the E. Boundary of Sec. 12

T 19 N., R. 2 E. 2^d Mer. Ind.^a
Ch. 1. 1st

3.25 a W. Oak 48 in. dia.
40.00 set of sec. part from which
an Elm 10 in. dia. bears S 46° W 18 lbs. dist. 2
a Sugar 24 " " " S 70° E 13 " "
80.00 set part cor. of sec. 1 & 12 from which
a R. Oak 24 in. dia. bears N 51° E 29 lbs. dist. 3
an Ash 8 " " " S 87° W 18 " "
Land &c. as last described.

North on the E. Boundary of Sec. 1

9.10 a Sugar 24 in. dia.
40.00 set of sec. part from which
a Gum 12 in. dia. bears S 24° W 16 lbs. dist. 3
a Sugar 10 " " " N 30° E 23 " "
81.95 set part cor. of T. 19 & 20 N., R. 2 & 3 E. from wh.
an Ash 10 in. dia. bears S 40° W 3 lbs. dist. 2
a Beech 8 " " " N 60° E 17 " "
(Description of land &c. omitted)

North Boundary, Var. 6.30' E.

West on the S. Boundary of Sec. 36, T 20 N., R 2 E

12.00 an Oak 24 in. dia.
40.00 set of sec. part from which
a Beech 14 in. dia. bears N 43° W 8 lbs. dist. 3
a Sugar 18 " " " S 83° E 35 " "
63.35 a Beech 14 " "
80.00 set part cor. of sec. 25 & 36 from which
an Ash 8 in. dia. bears S 82° E 33 lbs. dist. 3
a Hickory 8 " " " N 72° W 13 " "
Over level land. Timber Beech, Ash, Sugar &c.

West on the S. Boundary of Sec. 35, T 20 N., R 2 E

20.10 a Beech 14 in. dia.
40.00 set of sec. part from which
a Beech 12 in. dia. bears S 70° E 12 lbs. dist. 3
a Do 14 " " " S 66° W 5 " "

T. 19 N., R. 2 E. 2. Mer. Ind.

Ch. Ch.

52.02 an Oak 20 in. dia.

80.00 set post cor. of sec. 34 & 35 from which
an Oak 24 in. dia. bears N 59° W 5 lbs. dist. 2
a Beech 10 " " " N 55° E 37 " "
Land &c. same as last described.

West on the S. Boundary of Sec. 34, T. 20 N., R. 2 E
16.40 an Elm 12 in. dia.

40.00 set gr. sec. post from which
a Beech 18 in. dia. bears S 86° E 21 lbs. dist. 2
a Hickory 8 " " " S 38° W 14 " "

48.08 an Elm 14 " "

80.00 set post cor. of sec. 33 & 34 from which
a Lophocarpus 6 in. dia. bears S 41° E 45 lbs. dist. 2
a Beech 14 " " " N 55° W 4 " "
Over level land, wet. Timber Ash, Oak, Elm &c.
Wgs. Hazel &c.

West on the S. Boundary of Sec. 33, T. 20 N., R. 2 E
23.10 an Oak 24 in. dia.

40.00 set gr. sec. post from which
an Ash 13 in. dia. bears S 49° E 13 lbs. dist. 2
a Do 12 " " " N 49° W 23 " "

70.96 an Oak 12 " "

80.00 set post cor. of sec. 32 & 33 from which
an Ash 8 in. dia. bears S 56° E 29 lbs. dist. 2
a Do 8 " " " N 35° W 31 " "
Land & timber same as last described.

West on the S. Boundary of Sec. 32, T. 20 N., R. 2 E
12.35 an Oak 24 in. dia.

40.00 set gr. sec. post from which
an ——— 16 in. dia. bears S 40° E 43 lbs. dist. 2
a Do 14 " " " N 19° W 15 " "

53.88 a Walnut 20 " "

80.00 set post cor. of sec. 31 & 32 from which

T. 19 N., R. 2 E. 2^d Mer. Ind^aCh. 1st

an Ash 8 in. dia. bears N 67° E 9 lbs. dist. 3-

a Do 6 " " " S 82° W 28 " "

Over good farming land. Timber Beech, Walnut,
Ash & Upr. Spice &cWest on the S. Boundary of Sec. 31, T 20 N, R 2 E
22.25 a Hickory 18 in. dia.

40.00 set of sec. post from which

an Ash 7 in. dia. bears N 68° E 28 lbs. dist. 3-

a Do 16 " " " S 48° W 16 " "

83.50 Intersect W. Boundary at Township corner.
(Description of land &c omitted)

West Boundary. Var. 5° 30' E.

North on the E. Boundary of Sec. 30, T 19 N, R 1 E.

21.50 a Beech 24 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 66° W 17 lbs. dist. 3-

a Do 12 " " " S 24° E 32 " "

80.00 set post cor. of sec. 25 & 30 from which

a W. Oak 24 in. dia. bears S 85° E 10 lbs. dist. 2-

an Ash 12 " " " S 4° W 18 " "

Rich land. Timber Beech, Sugar, Ash, Oak,
Upr. Spice

North on the E. Boundary of Sec. 25, T 19 N, R 1 E

40.00 set of sec. post in Prairie from which

an Elm 24 in. dia. bears South 20.00 Ch. dist.

(No other Bearing tree)

80.00 set post cor. of sec. 24 & 25 from which

a W. Oak - in. dia. bears S 70° W 34 lbs. dist. 3-

a Cherry - " " " S 57° E 27 " "

Land 2^d rate. Timber Oak, Hickory, Ash, Dog-
wood. Upr. Spice

North on the E. Boundary of Sec. 24, T 19 N, R 1 E

T19N., R.2E.2. Mer. Ind.

Ch. Sp.

5.32 a W. Oak 24 in. diw.

40.00 set q. sec. part from which

a Walnut 24 in. diw. bears S70°W 4 lbs. dirt. &

a Hickory 12 " " " S20°E 10 " "

61.54 an Elm 24 " "

80.00 set part cor. of sec. 13 & 24 from which

a Hickory 18 in. diw. bears West 20 lbs. dirt. &

a Do — " " " N75°E 4 " "

Sand &c. as last described.

North on the E. Boundary of Sec. 13, T19N., R1E

30.12 a Lynn 12 in. diw.

40.00 set q. sec. part from which

a Maple 12 in. diw. bears N63°W 20 lbs. dirt. &

a Hickory 10 " " " N82°E 13 " "

71.54 an Ash 12 " "

80.00 set part cor. of sec. 12 & 13 from which

an Ash 12 in. diw. bears S32°E 6 lbs. dirt. &

a Do 18 " " " N32°W 14 " "

Sand &c. same as last described.

North on the E. Boundary of Sec. 12, T19N., R1E

37.45 a R. Oak 24 in. diw.

40.00 set q. sec. part from which

a R. Oak 30 in. diw. bears S61°E 9 lbs. dirt. &

an Ash — " " " S89°W 8 " "

58.40 a R. Oak 24 " "

80.00 set part cor. of sec. 1 & 12 from which

an Elm 8 in. diw. bears N60°W 3 lbs. dirt. &

a Lynn 10 " " " S60°E 3 " "

Sand &c. same as last described.

North on the E. Boundary of Sec. 1, T19N., R1E

23.25 a Beech 12 in. diw.

40.00 set q. sec. part from which

a Beech 10 in. diw. bears S86°W 24 lbs. dirt. &

T. 19 N., R. 2 E. 2. Mer. Ind. a

Chr. Chr.

a Sugar 18 in. dia. bears S 79 E 13 W. dist. -
 78.46 set part cor. of T. 19 & 20 N, R. 1 & 2 E. from which
 a Beech 24 in. dia. bears S 76 E 27 W. dist. 8
 a Do 12 " " " N 60 W 20 " "
 Richland. Timber Beech, Sugar. Upr. Spice
 Surveyed in 1819 by John M. Donald
 Deputy Surveyor.

Subdivision.

North between Sec. 35 & 36

7.00 a Stream 15 Ws. wide course SE
 37.00 a Sugar 12 in. dia.
 40.00 set q. sec. part from which
 a Beech 20 in. dia. bears N 20 E 8 W. dist. 8
 a Poplar 14 " " " S. W 22 " "
 63.00 a Beech 22 " "
 80.00 set part cor. of Sec. 25, 26, 35 & 36 from which
 a W. Elm 16 in. dia. bears North 10 Ws. dist. 8
 a R. Oak 13 " " " West 26 " "
 Land hilly & rate. Timber Sugar, Beech,
 Oak, Ash, Elm & Upr. Spice

East in Random between Sec. 25 & 36

40.00 set temp. q. sec. part
 59.00 a Stream 15 Ws. wide course SW
 80.63 Intersect Co. Boundary 65 Ws. S. of part -
 First half mile land level & rate, last
 half hilly & rate. Timber Beech & Spice

West Corrected between Sec. 25 & 36

21.80 a Swamp Ash 18 in. dia.
 40.32 set q. sec. part at aver. dist. from which
 a Beech 7 in. dia. bears S E 2 Ws. dist. 8
 a Do 11 " " " West 22 " "
 60.85 a Sugar 8 " "
 80.65 to sec. cor.

Completed

T. 19 N., R. 2 E. 2^d Mer. Ind^a.Ch^a. Spr.North between Sec^s. 25 & 26

21.00 a B. Ash 7 in. dia.

40.00 set of sec. post from which

a Buckeye 13 in. dia. bears S 55° W 30 W. dist. 8

a Beech 15 " " " S 85° E 32 " "

63.00 a W. Oak 10 " "

70.00 a Spring course NW

80.00 set post cor. of sec^s. 23, 24, 25 & 26 from which

a Sugar 13 in. dia. bears S 15° W 32 W. dist. 8

a Buckeye 10 " " " North 20 " "

Land hilly 2^d rate. Timber Beech, Sugar, Ash,

Oak, Elm, B. Walnut & W. Spruce

East on Random between Sec^s. 24 & 25

10.00 a Spring course NW

40.00 set temp. of sec. post

81.39 Intersect E. Boundary 48 W. S. of post—

Land level 2^d rate. Timber Beech, Sugar, Oak,

Elm & W. Spruce

West Connected between Sec^s. 24 & 25

21.70 a Sugar 10 in. dia.

40.69 set of sec. post at aver. dist. from which

a Beech 16 in. dia. bears S. 7° W. 6 W. dist. 8

a Do 13 " " " N 20° W 25 " "

60.25 a Beech 12 " "

81.39 to sec. cor.

North between Sec^s. 23 & 24

6.00 a Spring course NW

14.00 a Stream 15 W. wide course SW

20.50 a Hickory 20 in. dia.

40.00 set of sec. post from which

a B. Oak 24 in. dia. bears N 78° W 20 W. dist. 8

a Beech 15 " " " N 38° E 25 " "

61.00 a Sugar 11 " "

T. 19 N., R. 2 E. 2^d Mer. Ind.^a

W. S. P.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
 a Sugar 24 in. dia. bears East 2 Ws. dist. &
 a Do 10 " " " S 25 E 22 " "
 Land hilly 2^d rate. Timber Beech, Ash, Oak,
 Sugar & Ws. Spice

East on Raudum between Sec. 13 & 24

37.00 a Stream 10 Ws. wide course S.

40.00 set temp. of sec. post

50.00 a Stream 10 Ws. wide course SW

81.22 Intersect. O. Boundary 67 Ws. S. of post -
 Land level 2^d rate. Beech & Ws. Spice
 June 29, 1821

West Corrected between Sec. 13 & 24

20.70 a Sugar 13 in. dia.

40.61 set of sec. post at aver. dist. from which
 an Ironwood 3 in. dia. bears NW 14 Ws. dist. &
 a Do 6 " " " N 65 E 30 " "

60.00 a B. Oak 32 " "

81.22 to sec. cor.

North between Sec. 13 & 14

21.30 a W. Ash 12 in. dia.

40.00 set of sec. post from which
 a Sugar 18 in. dia. bears East 23 Ws. dist. &
 a Do 7 " " " S 84 W 32 " "

63.50 a Sugar 11 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 an Ironwood 5 in. dia. bears N 60 E 10 Ws. dist. &
 a W. Ash 7 " " " N 55 W 25 " "
 Land level 2^d rate. Timber Beech, Sugar,
 Ash, Oak & Ws. Spice

East on Raudum between Sec. 12 & 13

40.00 set temp. of sec. post

T. 19 N., R. 2 E. 2^d Mer. Inda.

Chr. Sp.

80.93 Intersect E. Boundary 100 Ws. S. of post
Land level 2^d rate. Timber Beech, Sugar, Ash,
Elm & Ulp. Spice

West Corrected between Sec. 12 & 13

23.00 a W. Elm 22 in. dia.

40.46 set q. sec. post at aver. dint. from which
a W. Ash 7 in. dia. bears N 70 E 25 Ws. dint. S
a Do 6 " " " S 90 W 7 " "

60.00 a S. Ash 6 " "

80.93 to sec. cor.

North between Sec. 11 & 12

26.00 a Hickory 10 in. dia.

40.00 set q. sec. post from which
a Beech 20 in. dia. bears East 4 Ws. dint. S
a Do 13 " " " West 21 " "

62.00 a Lym 6 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Beech 13 in. dia. bears S 80 W 5 Ws. dint. S
a Do 12 " " " S 67 E 20 " "
Land level 3^d rate. Timber Sugar, Ash, Oak,
Elm, Hickory & Ulp. Spice

East on Random between Sec. 1 & 12

40.00 set temp. q. sec. post

81.90 Intersect E. Boundary 127 Ws. S. of post -
Land level 3^d rate. Timber Beech & Ulp. Spice

West Corrected between Sec. 1 & 12

23.00 a Beech 9 in. dia.

40.95 set q. sec. post at aver. dint. from which
a Hickory 18 in. dia. bears N 70 E 14 Ws. dint. S
a Beech 14 1/2 " " " S 60 W 25 " "

61.80 a Beech 15 " "

80.90 to sec. cor.

T. 19 N., R. 20 E. 2. Mer. Ind. a

Ch. Sp.

North between Sec. 1 & 2

27.75 a W. Elm 24 in. dia.

40.00 set of sec. post from which

a Sugar 16 in. dia. bears West 5 Ws. dist. 8

a Beech 11 " " " N 80 E 14 " "

63.70 a W. Oak 18 " "

85.00 Intersect N. Boundary 117 Ws. W. of post -

set post at intersection cor. of sec. 1 & 2 from which

a Beech 24 in. dia. bears S 15 E 10 Ws. dist. 8

a Do 20 " " " N 43 E 40 " "

Land level 3 rods. Timber Beech, Ash, Oak,

Sugar & W. V. Ulp. Spice June 30. 1821

North between Sec. 34 & 35

21.50 a Sugar 9 in. dia.

35.00 a Stream 50 Ws. wide course SW

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 60 E 13 Ws. dist. 8

a Do 10 " " " NW 17 " "

43.00 a Spring course S E

58.00 a Beech 14 in. dia.

80.00 set post cor. of sec. 20, 27, 34 & 35 from which

a Buckeye 8 in. dia. bears S 55 E 19 Ws. dist. 8

a Do 7 " " " N 37 E 18 " "

Land hilly 2 rods. Timber Oak, Ash, Sugar,
Beech, Elm, Hickory & W. V. Ulp. Spice

East on Random between Sec. 20 & 35

16.00 a Stream 8 Ws. wide course S.

19.00 a Do 50 " " " SW

40.00 set temp. of sec. post

80.19 Intersect N & S. line at post -

Land hilly 2 rods. Timber Ash, Oak, Sugar,
& W. V. Ulp. Spice

West Corrected between Sec. 20 & 35

487

T. 19 N., R. 2 E. 2^d Mer. Ind.^a
Ch. 1st

20.40 a Beech 6 in. dia.

40.09 set of sec. port at aver. dint. from which
a Beech 4 in. dia. bears North 8 Ws. dint. S
and Ironwood 4 " " S 35 W 20 " "

60.50 a Cottonwood 30 " "

80.19 to sec. cor.

North between Sec. 26 & 27

13.00 a Stream 8 Ws. wide course E.

28.50 a Buckeye 6 in. dia.

40.00 set of sec. port from which

a Sugar 10 in. dia. bears N 40 W 12 Ws. dint. S

a Beech 16 " " " S 65 W 30 " "

48.50 a Stream 5 Ws. wide course E

68.50 a W. Oak 20 in. dia.

80.00 set port cor. of sec. 22, 23, 26 & 27 from which

a Buckeye 12 in. dia. bears West 14 Ws. dint. S

a W. Oak 30 " " " N 10 W 21 " "

Land hilly & rate. Timber Beech, Ash, Oak
& Wgs. Spice

East on Random between Sec. 23 & 26

27.00 a Stream 20 Ws. wide course S.

40.00 set temp. of sec. port

64.00 a Stream 15 Ws. wide course SW

80.31 Intersect N & S line 10 Ws. N. of port—

Land hilly & rate. Timber Beech & Wgs. Spice

West Corrected between Sec. 23 & 26

21.00 a Sycamore 22 in. dia.

40.15 set of sec. port at aver. dint. from which

a W. Elm 24 in. dia. bears N 20 W 6 Ws. dint. S

a Do 24 " " " South 12 " "

60.30 a Beech 6 " "

80.31 to sec. cor.

T. 19 N., R. 2 E. 2^d Mer. Ind.^a

Ch. Lk.

North between Sec. 22 & 23

23.50 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a Beech 7 in. dia. bears S 10 E 16 Ws. dist. 8

a Do 10 " " " N 25 E 27 " "

71.70 a Sugar 12 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a W. Elm 24 in. dia. bears S 64 E 30 Ws. dist. 8

a Buckeye 12 " " " S 21 W 25 " "

Land hilly 2^d rate. Timber Beech, Ash, Oak
V. Ulp. Spice

East or Random between Sec. 14 & 23

30.50 a Stream 20 Ws. wide course S.

40.00 set temp. g. sec. post

80.31 Intersect N. E. line 3 1/4 Ws. N. of post -

Land level 2^d rate. Timber Beech, Sugar,
Ash, Oak V. Ulp. Spice July 2, 1821

West Connected between Sec. 14 & 23

23.00 a Sugar 12 in. dia.

40.15 set g. sec. post at aver. dist. from which

an Ironwood 7 in. dia. bears North 18 Ws. dist. 8

a Do 6 " " " N 80 E 20 " "

60.40 a Beech 15 " "

80.30 to sec. cor.

North between Sec. 14 & 15

19.25 a Sugar 20 in. dia.

40.00 set g. sec. post from which

a Buckeye 6 in. dia. bears S 40 E 10 Ws. dist. 8

a B. Walnut 5 " " " N 35 W 22 " "

43.00 a Brook 8 Ws. wide course E.

68.60 a Beech 15 in. dia.

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 16 in. dia. bears N 87 E 12 Ws. dist. 8

T. 19 N., R. 2 E., T. 2 Mer. Ind. a

Ch. 30.

a Beech 15 in. dia. bears N 65° W 34 lbs. dist. 8

~~a Do 16 " " " N 87° E 12 " "~~

Land level 3. rate. Timber Sugar, Beech, Ash,
Oak, Hickory, B. Walnut & V. Upr. Spice

East in Random between Sec. 11 & 14

40.00 set temp. g. sec. post

45.00 a Stream 10 lbs. wide course S.

80.57 Intersect N & S. line 45 lbs. N. of post -

Land level 2. rate. Timber Beech, Sugar,
Ash, Oak, Elm & V. Upr. Spice

West Corrected between Sec. 11 & 14

22.00 a Beech 12 in. dia.

40.28 set g. sec. post at aver. dist. from which
an Ironwood 5 in. dia. bears N 80° E 10 lbs. dist. 8

a V. Ash 12 " " " N 50° W 19 " "

50.00 a Hickory 22 " "

80.57 to sec. cor.

North between Sec. 10 & 11

30.50 a Stream 10 lbs. wide course E.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears North 16 lbs. dist. 8

a Do 8 " " " S 7° W 18 " "

63.50 a Beech 12 " "

80.00 set post cor. of Sec. 2, 3, 10 & 11 from which

a V. Ash 9 in. dia. bears N 68° W 12 lbs. dist. 8

(No other Bearing tree)

Land level 2. rate. Timber Beech, Sugar,
Ash, Oak, Hickory & V. Upr. Spice

North between Sec. 2 & 3

17.50 a Beech 10 in. dia.

40.00 set g. sec. post from which

a V. Elm 20 in. dia. bears S 60° E 25 lbs. dist. 8

T. 19 N., R. 2 E., 2^d Mer. Ind.^a

Chr. Lk.

a R. Oak 14 in. diam. bears N 50 W 20 lbs. dist.
 50.00 a W. Oak 40 " "
 83.20 Intersect N. Boundary 120 lbs. N. of port—
 to port at intersection cor. of sec. 2 & 3 from which
 a Beech 12 in. diam. bears S 23 E 30 lbs. dist. &
 a Hickory 18 " " " N 60 W 14 " "
 Land level 2^d rate. Timber Sugar, Ash, Oak,
 & W. Spruce July 4th 1821

East in Random between Sec. 2 & 11

40.00 set temp. of sec. port
 80.50 Intersect N. S. line 44 lbs. N. of port—
 Land level 2^d rate. Timber Beech, Ash, Oak,
 Sugar & W. Spruce

West Corrected between Sec. 2 & 11

20.50 a Lym 15 in. dia.
 40.28 set of sec. port at aver. dist. from which
 a Beech 14 in. diam. bears S 11 W 40 lbs. dist. &
 a Do 10 " " " N 48 W 12 " "
 60.00 a R. Elm 12 " "
 80.50 to sec. cor.

North between Sec. 33 & 34

21.00 a B. Walnut 3 in. dia.
 40.00 set of sec. port from which
 a Beech 9 in. diam. bears N 47 E 14 lbs. dist. &
 a Do 7 " " " N 49 W 30 " "
 69.00 a Beech 9 " "
 80.00 ~~to sec. cor.~~ ^{a Hickory 16 "} of sec. 27, 28, 33 & 34 from which
 a Hickory 7 in. diam. bears N 70 E 20 lbs. dist. &
 a Lym 9 " " " N 65 W 12 " "
 Land level 2^d rate. Timber Beech, Ash,
 Oak, Sugar & W. Spruce

East in Random between Sec. 27 & 34

491

T. 19 N., R. 2 E. 2^d Mer. Ind.^a

Chs. 2^d

40.00 set temp. gr. sec. post

79.98 Intersect N & S. line 71 Mos. N. of post -

Land level 2^d rate. Timber Beech, Ash, Oak,
Sugar & Upr. Spice

West Corrected between Sec. 27 & 34

22.00 a Sugar 14 in. dia.

39.99 set gr. sec. post at aver. dist. from which

a W. Oak 10 in. dia. bears N 10 E 33 Mos. dist. 8

a Sugar 15 " " " S 25 E 25 " "

61.00 a Beech 8 " "

79.98 to sec. cor.

North between Sec. 27 & 28

35.50 a Beech 12 in. dia.

40.00 set gr. sec. post from which

a Sugar 16 in. dia. bears N 10 W 15 Mos. dist. 8

a Do 16 " " " S 35 W 20 " "

63.00 a Buckeye 9 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Ironwood 5 in. dia. bears N 55 E 11 Mos. dist. 8

a Do 5 " " " N 66 - 10 " "

Land level 2^d rate. Timber Beech, Ash, Oak,
Sugar, Elm, Buckeye, Walnut & Upr. Spice

East on Randon between Sec. 22 & 27

40.00 set temp. gr. sec. post

80.40 Intersect N & S. line 44 Mos. N. of post -

Land level 2^d rate. Timber Beech, Ash, Oak,
Sugar, Elm, Walnut & Upr. Spice

West Corrected between Sec. 22 & 27

20.00 a Beech 5 in. dia.

40.20 set gr. sec. post at aver. dist. from which

a B. Walnut 12 in. dia. bears S 18 W 12 Mos. dist. 8

a Buckeye 5 " " " N 48 E 13 " "

T. 19 N., R. 2 E. 2^d Mer. Ind.

Chs. Sp.

60.00 a W. Oak 10 in. dia.

80.40 to sec. cor.

North between Sec. 21 & 22

20.00 a W. Ash 12 in. dia.

40.00 set g. sec. post from which

a W. Oak 8 in. dia. bears N 79° W 12 Ws. dist. 28

a Beech 20 " " " S 70° E 21 " "

61.20 a Poplar 14 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Beech 8 in. dia. bears S 57° E 13 Ws. dist. 28

a Do 20 " " " N 80° W 30 " "

Land level 2^d rate. Timber Beech, Ash, Oak,
Sugar, Elm, Hickory & Wyp. Spice

East on Random between Sec. 15 & 22

30.00 a Stream 10 Ws. wide corner S E

40.00 set temp. g. sec. post

79.00 a Stream 10 Ws. wide corner E.

80.29 Intersect N. S. line 21 Ws. N. of post—

Land level 2^d rate. Timber Beech, Ash, Oak, Sugar,
Elm & Wyp. Spice July 5, 1821

West Corrected between Sec. 15 & 22

20.00 a Beech 14 in. dia.

40.15 set g. sec. post at aver. dist. from which

a Honey Locust 14 in. dia. bears S 18° W 20 Ws. dist. 28

a P. Elm 7 " " " N 75° E 28 " "

61.00 a Buckeye 11 " "

80.29 to sec. cor.

North between Sec. 15 & 16

4.00 a Stream 10 Ws. wide corner E.

19.50 a Beech 10 in. dia.

40.00 set g. sec. post from which

an Ironwood 5 in. dia. bears South 25 Ws. dist. 28

T. 19 N., R. 2 E. 2^d Mer. Ind.

Elev. 100.

a W. Oak 20 in. dia. bears N 12 W 30 lbs. dirt.

04.00 a W. Elm 14 " "

80.00 set port cor. of sec. 9, 10, 15 & 16 from which

a W. Oak 7 in. dia. bears N 45 E 11 lbs. dirt &

a Syp. Ash 8 " " S 5 E 20 " "

Land level 2^d rate. Timber Beech, Ash, Oak,
Sugar, Elm, Walnut & Upr. Spice

East on Random between Sec. 10 & 15

40.00 set temp. of sec. port

80.17 Intersect N & S line 30 lbs. S. of port

Land level 2^d rate. Timber Beech, Ash,
Oak, Elm, Sugar, Hickory, Walnut &
Upr. Spice

West Corrected between Sec. 10 & 15

20.25 a Sugar 8 in. dia.

40.08 set of sec. port at aver. dirt. from which

a Beech 60 in. dia. bears West 22 lbs. dirt &

a Do 12 " " " N 32 E 20 " "

60.00 a W. Elm 30 " "

80.17 to sec. cor.

North between Sec. 9 & 10

27.00 a W. Oak 30 in. dia.

40.00 set of sec. port from which

a W. Ash 9 in. dia. bears S 85 W 18 lbs. dirt &

a Beech 7 " " " S 50 E 16 " "

61.40 a Hickory 8 " "

80.00 set port cor. of sec. 3, 4, 9 & 10 from which

a Beech 10 in. dia. bears East 25 lbs. dirt &

a Do 10 " " " S 85 W 24 " "

Land level 2^d rate. Timber Beech, Ash, Oak,
Sugar, Elm, Hickory & Upr. Spice

East on Random between Sec. 3 & 10

T. 19 N., R. 2 E. 2^d Mer. Ind^aCh^a. 10^a.

40.00 set temp. gr. sec. post

80.33 Intersect N. G. line at post—

Land level about. Timber Beech, Ash, Oak, Sugar,
Elm & Uls. Spice

West Connected between Sec. 3 & 10

20.15 a W. Elm 12 in. dia.

40.10 set gr. sec. post at aver. dist. from which

a Beech 30 in. dia. bears S 53 E 16 lks. dist. S

a B. Oak 6 " " " N 82 W 22 " "

61.00 a B. Elm 6 " "

80.33 to sec. cor.

North between Sec. 3 & 4

25.00 a W. Elm 14 in. dia.

40.00 set gr. sec. post from which

a B. Oak 14 in. dia. bears S 22 E 24 lks. dist. S

an Ironw^d. 5 " " " N 32 W 16 " "

61.50 a W. Elm 12 " "

82.81 Intersect N. Boundary 173 lks. N. of post—

set post at intersection cor. of sec. 3 & 4 from which

a Beech 10 in. dia. bears S 65 W 25 lks. dist. S

a Dogwood 5 " " " S 87 E 40 " "

Land level 3' to 4'. Timber Beech, Ash, Oak,
Sugar, Elm & Uls. Spice

North between Sec. 32 & 33

34.00 a Swamp Ash 6 in. dia.

40.00 set gr. sec. post from which

a W. Oak 7 in. dia. bears N 68 E 8 lks. dist. S

a B. Oak 20 " " " N 61 W 16 " "

60.00 a B. Oak 14 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Maple 16 in. dia. bears South 5 lks. dist. S

a Do 14 " " " North 29 " "

Land level 2' to 4'. Timber Beech, Ash, Oak,

T. 19 N., R. 2 E. 2^d. Mer. Ind^a.

Chr. Sp.

Elm & Upr. Spice

East in Random between Secs. 28 & 33

40.00 set temp. of sec. post

80.70 Intersect N & S. line 25 Yrs. S. of post—

Land level 3^d rate. Timber Beech, Ash, Oak,
Sugar, Elm, Hickory & Upr. Spice

West Corrected between Secs. 28 & 33

20.50 a Beech 6 in. dia.

40.35 set of sec. post at aver. dist. from which
a Sugar 10 in. dia. bears N 74 E 7 Yrs. dist. 3

a B. Oak 36 " " " N 53 W 25 " "

60.40 a Lym 8 " "

80.70 to sec. cor.

North between Secs. 28 & 29

18.30 a Sugar 15 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 80 E 26 Yrs. dist. 3

a B. Oak 24 " " " S 60 W 23 " "

66.70 a Lyp. Ash 8 " "

80.00 set post cor. of secs. 20, 21, 28 & 29 from which

a B. Oak 28 in. dia. bears North 14 Yrs. dist. 3

a Beech 11 " " " S 53 W 11 " "

Land level 2^d rate. Timber Sugar, Ash, Oak,
Sugar, Elm & Upr. Spice

East in Random between Secs. 21 & 28

40.00 set temp. of sec. post

80.00 Intersect N & S. line at post—

Land level 2^d rate. Timber Sugar, Ash, Hick-
ory, Beech, Walnut & Upr. Spice

West Corrected between Secs. 21 & 28

22.00 a Poplar 15 in. dia.

T. 19 N., R. 2 E. S. Mer. Ind.?

Ch. Ck?

40.30 set q. sec. post at aver. dint. from which
 a Sup. Ash 7 in. diam bears N 80 W 20 lbs. dist. 8
 a W. Elm 16 " " " N 40 E 10 " "
 60.35 a Beech 9 " "
 80.60 to sec. cor.

North between Sec. 20 & 21

20.70 a W. Elm 10 in. dia.
 40.00 a Swamp Ash 7 in. dia. q. sec. cor. tree from which
 a W. Elm 16 in. diam bears North 18 lbs. dint. 8
 a Sup. Beech 5 " " " N 80 W 13 " "
 70.00 an Ironwood 6 in. dia.
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which
 a Sycamore 30 in. diam bears S 23 E 15 lbs. dint. 8
 a W. Ash 8 " " " N 65 E 17 " "
 Sand level State. Timber Beech, Ash, Oak,
 Sugar, Elm & Wyp. Spice

East in Random between Sec. 16 & 21

40.00 set temp. q. sec. post
 80.78 Intersect N & S. line 17 lbs. N. of post -
 Sand level State. Timber Beech, Ash, Oak,
 Sugar, Walnut, Elm, Hickory & Wyp. Spice

West Corrected between Sec. 16 & 21

20.00 a Beech 10 in. dia.
 40.39 set q. sec. post at aver. dint. from which
 a Beech 6 in. diam bears S 56 E 18 lbs. dint. 8
 a Do 15 " " " N 22 E 15 " "
 60.00 a W. Ash 12 " "
 80.78 to sec. cor.

North between Sec. 16 & 17

18.70 a W. Ash 9 in. dia.
 25.00 enter wet Prairie
 40.00 set q. sec. post from which

497

T. 19 N., R. 2 E. 2. Mer. Ind. a

Chp. 1st

a W. Elm 18 in. diam bears S 59 W 10 lbs. dint. &
a Sup. Ash 5 " " " " " "
45.00 to dry land
03.00 a W. Elm 18 in. diam.
80.00 set part cor. of sec. 8, 9, 10 & 17 from which
a Beech 14 in. diam bears S 72 W 19 lbs. dint. &
a W. Ash 6 " " " N 85 E 15 " "
Land level 2nd rate. Timber Oak, Elm, Ash,
Beech & Upr. Spice

East in Random between Sec. 9 & 16

30.00 a wet Prairie
40.00 set temp. of sec. part
50.00 to timbered land
81.00 Intersect N. S. line 45 lbs. S. of part—
Land level 2nd rate. Timber Beech, Ash, Oak,
Sugar, Elm, Hickory, Walnut & Upr. Spice

West Connected between Sec. 9 & 16

20.50 a W. Ash 9 in. diam.
40.00 set of sec. part at aver. dint. from which
a W. Elm 12 in. diam bears North 69 lbs. dint. &
a Do 12 " " " N 16 E 109 " "
60.50 a Beech 20 " "
81.00 to sec. cor.

North between Sec. 8 & 9

19.50 a Beech 10 in. diam.
40.00 set of sec. part from which
a Hickory 20 in. diam bears S 33 W 8 lbs. dint. &
a Sup. Ash 13 " " " S 63 E 23 " "
59.50 a W. Oak 20 " "
80.00 set part cor. of sec. 4, 5, 8 & 9 from which
a R. Oak 13 in. diam bears S 81 W 12 lbs. dint. &
a Do 12 " " " East 10 " "
Land level 3rd rate. Timber Beech, Ash,

T. 19 N., R. 2 E. 2^d Mer. Ind.^a
Chr. Lks.

Oak, Sugar, Walnut, Ironwood & Upr. Spice

East in Random between Sec. 4 & 9

40.00 set temp. of sec. part

81.00 Intersect N. G. line 12 M. S. of part -

Land level 2. rate. Timber Beech, Ash, Oak,
Elm, Hickory, Ironwood, Walnut &
Upr. Spice

West Connected between Sec. 4 & 9

21.25 a R. Oak 20 in. dia.

40.50 set g. sec. part at aver. dist. from which

a Sapapap 5 in. dia. bears S 10 E 9 M. dist. S
a W. Oak 30 " " " N 55 W 40 " "

65.00 an Elm 6 " "

80.00 to sec. cor.

North between Sec. 4 & 5

10.00 a wet Prairie

20.00 to dry land

30.00 a Beech 12 in. dia.

40.00 set g. sec. part from which

a Cottonwood 30 in. dia. bears S 80 E 9 M. dist. S

a Maple 14 " " " S 40 W 8 " "

41.00 a wet Prairie

50.00 to dry land

64.00 a Beech 12 in. dia.

83.08 Intersect N. Boundary 29 1/2 M. W. of part -

set part at intersection cor. of sec. 4 & 5 from which

a W. Ash 6 in. dia. bears S 48 E 15 M. dist. S

a W. Oak 24 " " " S 35 W 17 " "

Land level 2. rate. Timber Beech, Oak &
Upr. Spice July 11. 1821

North between Sec. 31 & 32

16.50 a Beech 10 in. dia.

T. 19 N., R. 2 E. 2. Mer. Ind.

Chr. Lk?

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears East 3 lks. dist. &

a Dr 13 " " " S 12 E 21 " "

63.00 a W. Ash 16 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a Maple 18 in. dia. bears North 10 lks. dist. &

a Dr 20 " " " N 4 W 35 " "

Land level 2. rate. Timber Beech, Ash, Oak,
Walnut, Hickory, Elm & Upr. Spice

East on Random between Sec. 29 & 32

40.00 set temp. gr. sec. post

80.00 Intersect N. G. line 45 lks. N. of post -

Land level 2. rate. Timber Beech, Ash, Oak,
Sugar, Elm, Walnut, Ironwood & Upr. Spice

West Corrected between Sec. 29 & 32

20.50 a Beech 11 in. dia.

40.00 set gr. sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 16 W 18 lks. dist. &

a Dr 15 " " " N 85 E 15 " "

59.50 a Beech 7 " "

80.00 to sec. cor.

North between Sec. 29 & 30

23.50 a Beech 12 in. dia.

40.00 set gr. sec. post from which

a Hickory 18 in. dia. bears N 13 W 12 lks. dist. &

a W. Oak 5 " " " N 57 E 20 " "

63.50 a Swamp Ash 8 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a W. Ash 4 in. dia. bears N 10 W 25 lks. dist. &

a Swamp Beech 5 " " " S 80 E 15 " "

Land level 2. rate. Timber Beech, Ash,
Oak, Sugar & Upr. Spice

T. 19 N., R. 2 E., 2^d Mer. Ind.

Elev. 800.

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

80.13 Intersect N & S. line 18 Mts. N. of post
Land level 2^d rate. Timber Beech, Ash,
Oak, Elm, Sugar & Wyls. Spice

West Corrected between Sec. 20 & 29

10.00 at N. Elm 12 in. dia.

40.00 set of sec. post at aver. dist. from which
a N. Oak 22 in. dia. bears South 18 Mts. dist. &
a Hickory 20 " " " N 61 E 30 " "

60.25 a Beech 16 " "

80.13 to sec. cor.

North between Sec. 19 & 20

29.50 a Swamp Ash 24 in. dia.

40.00 set of sec. post from which
a Beech 14 in. dia. bears N 42 W 16 Mts. dist. &
a Do 11 " " " N 69 E 20 " "

70.00 a Maple 15 " "

72.00 a Prairie

78.00 to dry land

80.00 set post cor. of sec. 17, 18, 19 & 20 from which
a N. Elm 7 in. dia. bears N 26 W 10 Mts. dist. &
a N. Ash 14 " " " S 10 E 22 " "
Land level 3^d rate. Timber Oak, Ash, Elm
& Wyls. Spice

East on Random between Sec. 17 & 20

5.00 a Prairie

30.00 to dry land

40.00 set temp. of sec. post

45.00 a Prairie

55.00 to dry land

80.15 Intersect N & S. line 12 Mts. N. of post
Land level 3^d rate. Timber Oak, Ash, Elm &

T. 19 N., R. 2 E. 2^d Mer. Ind. a

Chs. Lk.

Upr. Spice

West Cornered between Sec. 17 & 20

19.40 a N. Elm 13 in. dia.

40.07 set of sec. post at aver. dint. from which
a N. Oak 15 in. dia. bears S 12 E 24 lks. dint. S
a Beech 11 " " " N 44 W 19 " "

65.00 a Swamp Ark 10 in. dia.

80.15 to sec. cor.

North between Sec. 17 & 18

18.70 a Hickory 10 in. dia.

40.00 set of sec. post from which
a N. Elm 9 in. dia. bears N 54 W 16 lks. dint. S
a Sup. Ark 8 " " " N 33 E 22 " "

03.25 a Do 11 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which
a N. Oak 8 in. dia. bears S 38 W 13 lks. dint. S
a N. Elm 9 " " " S 50 E 50 " "
Land level 2^d rate. Timber Oak, Ark, Elm,
Beech, Sugar & Upr. Spice

East on Randon between Sec. 8 & 17

40.00 set temp. of sec. post

79.44 Intersect N & S. line 12 lks. N. of post—
Land level 2^d rate. Timber Oak, Ark, Beech,
Hickory & Upr. Spice. July 20. 1821

West Cornered between Sec. 8 & 17

22.00 a Hickory 12 in. dia.

39.72 set of sec. post at aver. dint. from which
a Sup. Ark 5 in. dia. bears N 82 E 4 lks. dint. S
a Do 6 " " " N 44 W 10 " "

60.00 a Swamp Ark 8 in. dia.

79.44 to sec. cor.

T. 19 N., R. 2 E. 2. Mer. Ind. a

Ch. Ch.

North between Sec. 7 & 8

1.50 a Prairie

22.00 to timbered land

23.00 a P. Oak 10 in. dia.

40.00 set g. sec. post from which

an Ironwood 5 in. dia. bears East 10 lbs. dist. 8

a Dogwood 6 " " " S 81 W 10 " "

55.00 a wet Prairie

68.00 to timbered land

68.50 a Quaking Aspen 6 in. dia.

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a W. Oak 13 in. dia. bears N 37 E 16 lbs. dist. 8

a Beech 15 " " " S 84 W 25 " "

Land level 2. rate. Timber Oak, Ash, Elm,
Sugar & W. Spruce

East on Random between Sec. 5 & 8

15.00 a Prairie

19.00 to timbered land

40.00 set temp. g. sec. post

45.00 a Prairie

57.00 to timbered land

70.00 a Prairie

78.00 to timbered land

79.59 Intersects W. line at post -

Land level 2. rate. Timber Oak, Ash, Elm
& W. Spruce

West Corrected between Sec. 5 & 8

20.50 a W. Oak 14 in. dia.

39.79 set g. sec. post at aver. dist. from which

a P. Oak 6 in. dia. bears N 52 W 44 lbs. dist. 8

a W. Ash 6 " " " North 51 " "

59.00 a W. Oak 20 " "

79.59 to sec. cor.

T. 19 N., R. 2 E., S. 2 Mer. Ind. a

Ch. 1st

North between Sec. 5 & 6

20.70 a Maple 10 in. dia.

40.00 set g. sec. post from which

a Ironwood 5 in. dia. bears N 74 E 20 lbs. dist. 8

a W. Ash 7 " " " N 60 W 32 " "

64.50 a W. Oak 30 " "

83.29 Intersect N. Boundary 170 W. of post -

set post at intersection cor. of sec. 5 & 6 from which

a W. Ash 10 in. dia. bears South 6 lbs. dist. 8

a R. Oak 6 " " " N 48 W 16 " "

Land level 2. rate. Timber Oak, Ash, Beech,

Elm, B. Walnut & Ugly. Spice. July 21. 1821

West between Sec. 30 & 31

26.50 a Sugar 18 in. dia.

40.00 set g. sec. post from which

a W. Ash 13 in. dia. bears N 80 E 21 lbs. dist. 8

a Sugar 18 " " " N 10 E 25 " "

59.70 a Beech 16 " "

82.45 Intersect W. Boundary 42 lbs. S. of post -

set post at intersection cor. of sec. 30 & 31 from which

a W. Ash 10 in. dia. bears N 24 W 35 lbs. dist. 8

a Swamp Ash 14 " " " S 33 W 20 " "

Land level 2. rate. Timber Beech, Ash, Oak

Elm, Sugar & Ugly. Spice

West between Sec. 19 & 30

18.50 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a R. Oak 10 in. dia. bears S 40 E 20 lbs. dist. 8

a Maple 11 " " " N 43 W 22 " "

50.25 a R. Oak 20 " "

81.00 Intersect W. Boundary 50 lbs. E. of post -

set post at intersection cor. of sec. 19 & 30 from wh.

a W. Oak 10 in. dia. bears North 62 lbs. dist. 8

a S. 15 " " " N 77 W 28 " "

T. 19 N., R. 2 E., T. 2 Mer. Ind. W.
Ch. Lk.

Land level 2nd rate. Timber Oak, Ash,
Elm, Sugar & Upr. Spice

West between Sec. 18 & 19

21.50 a Hickory 20 in. dia.

40.00 cut gr. sec. part from which

a B. Oak 12 in. dia. bears East 12 Ws. dist 2

a Cottonw. 22 " " " N 12 W 18 " "

61.50 a Hickory 14 " "

81.77 Intersect W. Boundary 66 Ws. S. of part -

set part at intersection cor. of Sec. 18 & 19 from which

a Spr. Ash 9 in. dia. bears N 35 E 12 Ws. dist 2

a W. Ash 8 " " " S 10 E 10 " "

Land level 2nd rate. Timber Beech, Ash, Oak,
Elm, Sugar, Hickory & Upr. Spice

West between Sec. 7 & 18

0.50 a Prairie

25.00 to dry land

26.50 a B. Oak 12 in. dia.

40.00 cut gr. sec. part from which

a B. Oak 20 in. dia. bears S 69 E 52 Ws. dist 2

a Do 15 " " " S 45 W 45 " "

56.60 a W. Oak 12 " "

82.50 Intersect W. Boundary 77 Ws. N. of part -

set part at intersection cor. of Sec. 7 & 18 from which

a W. Elm 12 in. dia. bears N 41 E 10 Ws. dist 2

a Spr. Ash 6 " " " S 39 E 12 " "

Land level 2nd rate. Timber Oak, Ash, Beech,
Hickory & Upr. Spice.

West between Sec. 6 & 7

28.00 a Maple 12 in. dia.

40.00 cut gr. sec. part from which

a B. Walnut 11 in. dia. bears S 85 W 30 Ws. dist 2

a Hickory 6 " " " S 25 W 22 " "

T. 19 N., R. 2 E., S. 2 Mer. Ind.
Ch. Lk.

01.00 a Beech 14 in. diw.

82.50 Intersect W. Boundary 25 lbs. S. of post —
set post at intersection cor. of sec. 60 from which
a Cherry 4 in. diw. leans East 15 lbs. dist. S.
an Ironwood 2 " " S 20 W 3 " "

Land level S. rate. Limber Oak, Ash, Elm,
V. Wyr. Spice. July 21. 1821

A. Wallace

Deputy Surveyor

Comp?

I certify that the foregoing transcript
of Field Notes of the survey of Township N.
19 North, of Range N. 2 East of the S. Prin-
cipal Meridian, in the State of Indiana,
has been compared with the original on file
in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Nov. 5. 1844

William Johnston
Sur. Genl.